# SOMPLETE TO NS



## ASSURANCE SERIES



# PRECOR TAR TRAIT 28:29 37 00

Streamlined LED display



800/900 MHz Entertainment Cap



15" Personal Viewing System (PVS)



Personal Entertainment Player (PEP)

### Assurance<sup>™</sup> Series

It's the cardio series that provides club level innovations and proven mechanical designs at an exceptional value. The **Assurance Series** delivers uncomplicated and smooth workouts to exercisers of all ability levels. The console provides clear visuals and a familiar layout that makes it easy for users to explore a variety of satisfying workouts.

Built to withstand the rigors of a broad range of environments, from less supervised facilities such as hotels, corporate gyms, apartment complexes, or fire departments, the Assurance Series provides owners with reliable performance, time after time.

#### **Streamlined LED display:**

- Durable dome switches: tactile response
- Heart Rate Monitoring
- 6-7 programs

### Advanced LED display (for the 946i Treadmill):

- Tap Control: tactile response with audible click
- SmartRate®
- 13 programs

Standard Console Specifications					
Display Type	Advanced / Streamlined LED Display				
Machine Controls	Tap Control / Tactile Dome Switches				
Numeric Key Pad	Standard				
Units Selection	Metric and U.S. Standard				
Languages	English, French, Dutch, German, Italian, Portuguese, Russian, Spanish				
CSAFE Enabled	Standard				
Reading Rack	Standard				
Personal Viewing System	Optional - 15" PVS				
Entertainment Cap	Optional - 800/900 MHz				
iPod® / iPhone® Compatible	Optional - Personal Entertainment Player (PEP)				



#### Elliptical Fitness Crosstrainer™

#### **EFX® 536i**

- CrossRamp® technology: adjustable ramp between 15 and 40°
- Total body workout
- Moving upper body handlebars
- Streamlined LED display



#### Treadmill

#### 946i

- Incline range: 0% 15% in 0.5% increments
- Ground Effects® Impact Control System
- Integrated Footplant Technology™
- 0.5-12 mph / 1-20 km/h
- 4.0 hp AC motor with IFT
- Advanced LED display



#### Elliptical Fitness Crosstrainer™

#### **EFX® 532i**

- CrossRamp® technology: adjustable ramp between 15 and 40°
- Fixed upper body handlebars
- Streamlined LED display



#### Treadmill

#### 932i

- Incline range: 0% 15% in 0.5% increments
- Ground Effects® Impact Control System
- Integrated Footplant Technology™
- 0.5-12 mph / 1-20 km/h
- 4.0 hp AC motor with IFT
- Streamlined LED display



#### **Recumbent Bike**

#### **RBK 615**

- Step-through design
- Ventilated, suspension-mounted air flex seat back
- Simple single-handed seat adjustment
- Streamlined LED display



#### **Upright Bike**

#### **UBK 615**

- Over-molded handlebars
- Ergonomically designed saddle
- Simple pop pin seat adjustment
- Streamlined LED display

	EFX® 536i	EFX® 532i	Treadmill 946i	Treadmill 932i	UBK 615	RBK 615
Console Features						the state of the s
Numeric Keypad	•	•	•	•	•	•
QuickStart™	•	•	•	•	•	•
Heart Rate Monitoring						
Touch	•	•	•	•	•	
Telemetry (Chest Strap Required)		•	•	•	•	•
SmartRate®	•	•	•	•	•	•
Equipment Features						
CrossRamp® Technology	15 - 40°	15 - 40°	-	-	-	-
Ground Effects® Technology	-	-	•	•	-	-
Integrated Footplant Technology™	-	-	•	•	-	-
Incline (0.5% increments)	-	-	0% - 15%	0% - 15%	-	-
Resistance Levels	20	20	-	-	25	25
Step-up Height	8 in / 20 cm	8 in / 20 cm	7.5 in / 19 cm	7.5 in / 19 cm	-	-
Speed	-	-	0.5-12 mph / 1-20 km/h	0.5-12 mph / 1-20 km/h	-	-
Integrated Transport Wheels	•	•	•	•	•	•
Workouts						
Total Workouts*	6	6	13	7	6	6
Electronic Readouts	G T	<u> </u>	15	,	<u> </u>	Ű
Total Readouts*	14	14	24	14	12	12
Network Capabilities	17	I <del>-</del>	27	17	12	12
CSAFE-enabled		•	•	•		
FitLinxx Compatible	•	•	•	•	•	
Entertainment Options	_		_	_	_	
Personal Viewing System (PVS)	0	0	0	0	0	O
Entertainment Cap	0	0	0	0	0	0
iPod® / iPhone® Compatible	0**	O**	O**	0**	0**	0**
Language selection	<u> </u>		G	9	9	Ü
English, French, Dutch, German,						
Portuguese, Italian, Russian, Spanish	•	•	•	•	•	•
Units Selection						
Metric	•	•	•	•	•	
Standard	•	•	•	•	•	
Product Dimensions	-		-	-	-	
Inches (LxWxH)	84 x 31 x 67	84 x 31 x 67	79 x 34 x 59	79 x 34 x 59	46 x 21 x 57	66 x 23 x 49
Centimeters (LxWxH)	213 x 79 x 168	213 x 79 x 168	204 x 86 x 150	204 x 86 x 150	117 x 53 x 146	168 x 58 x 124
Product Height with PVS	80 in / 203 cm	80 in / 203 cm	73 in / 186 cm	73 in / 186 cm	70 in / 178 cm	62 in / 157 cm
Product Height With PV3	207 lbs / 94 kg	245 lbs / 111 kg	331 lbs / 150 kg		155 lbs / 70 kg	·
Power	207 lbs / 94 kg	245 IUS / 111 Kg	331 DS / 130 kg	331 lbs / 150 kg	133 IUS / 70 Kg	200 lbs / 91 kg
Self-Powered	•	•	Powered	Powered	•	
Accessories	•		Powered	Powered	•	
Accessories Accessories Holder	•	•	•	•	•	•
	•	•	•	•	•	
Reading Rack						
Cable Management	0	0	0	0	0	0
Regulatory Approvals						
FCC, ETL, CE, EN957	•	•	•	•	•	•
Warranty***	_		_	_	_	
Frame	7 years	7 years	7 years	7 years	7 years	7 years
Parts (Mechanical & Electronic)	2 years	2 years	2 years	2 years	2 years	2 years
Labor	1 year	1 year	1 year	1 year	1 year	1 year

KEY: • Standard O Optional - Not available



Jan 06, 2015
© 2015 Precor Incorporated.
Precor reserves the right to make any changes without prior notice. iPod and iPhone are registered trademarks of Apple Inc., registered in the U.S. and other countries.

<sup>\*</sup> Visit www.precor.com for the most recent information on all our products

<sup>\*\*</sup> iPod® / iPhone® compatible with Personal

<sup>\*\*</sup> Please consult your Limited Warranty statement for coverag