SOMPLETE SS TIONS



EXPERIENCE SERIES INC









800/900 MHz Entertainment Cap



15" Personal Viewing System (PVS)

Experience[™] Series 810 Line

The exceptional feel of the **Experience Series** cardio continues, and covers all the essentials, with the 810 Line.

In the 810 Line, you'll find the same, exact physical exercise experience and quality as the top of the line. Affordably priced, the 810 line makes the most of your budget. Whether on its own or alongside the rest of the Experience Series equipment, the 810 Line offers the essential features with a premium feel.

P10 Console Specifications	
Display Type	Streamlined LED Display
Machine Controls	Tactile Dome Switches
Units Selection	Metric and U.S. Standard
Languages	English, Dutch, German, Spanish, French, Portuguese,
	Italian, Romanized Russian
Reading Rack	Standard
Personal Viewing System (PVS)	Optional - 15" PVS
Entertainment Cap	Optional - 800 / 900 MHz
Mobile Device Charger	Standard



EFX® 815

Elliptical Fitness Crosstrainer™

- CrossRamp® technology: adjustable ramp between 13 and 40°
- Total body workout
- Moving upper body handlebars



TRM 811

Treadmill

- Incline range: 0% to 15% incline in 0.5% increments
- Ground Effects® & Integrated FootplantTechnology™
- 0.5-12 mph / 1-20 km/h
- 4.0 hp AC motor with IFT
- Auto stopTM



EFX® 813

Elliptical Fitness Crosstrainer™

- CrossRamp® technology: adjustable ramp between 13 and 40°
- Fixed upper body handlebars



UBK 815 Upright Bike

- Over-molded handlebars
- Ergonomically designed saddle
- Dual-sided pedals with integrated straps
- Simple single-handed seat adjustment



AMT® 813

Adaptive Motion Trainer®

- Dynamic, adaptive stride length from 0 to 36" (0 to 91 cm)
- Fixed stride height at 7.6" (19 cm)
- Moving upper body handlebars



RBK 815

Recumbent Bike

- Step-through design
- Ventilated, suspension-mounted air flex seat back
- Dual-sided pedals with integrated straps
- Simple single-handed seat adjustment

Considerations Cons		EFX® 813	EFX® 815	AMT® 813	TRM 811	UBK 815	RBK 815
Conditional Content	Console Features						The State of the S
Conditional Content	Numeric Keypad	•	•	•	•	•	•
Mean Real Monitoring	QuickStart™	•	•	•	•	•	•
Mean Real Monitoring	Mobile Device Charger	•	•	•	•	•	•
February Circuit Stop Required							
SmartRice	Touch	•	•	•	•	•	•
SmartRice	Telemetry (Chest Strap Required)	•	•	•	•	•	•
Adaptive Strick Length - - - - - - - - -			•	•	•	•	•
Adaptive Strick Length - - - - - - - - -	Equipment Features						
Cross Revinology		-	-	•	-	-	-
Control Effects	CrossRamp® Technology	13 - 40°	13 - 40°	-	-	-	
Integrated Fortplant Technology** 		-	-	-	•	-	-
Auto Stoph		-	-	-	•	-	-
Incline		-	-	-	•	-	-
Resistance Levels	<u> </u>	-	-	-	0% - 15% (0.5% increments)	-	-
Sep-right		20	20	20	-	25	25
Speed	Step-up Height		8 in / 20 cm		9.5 in / 24 cm		
Integrated Transport Wheels		· · · · · · · · · · · · · · · · · · ·			·	-	-
Notal Workouts* 6	·	•	•	•		•	•
Total Readouts 12 12 12 12 12 12 12 1							
Total Readouts* 12 12 12 12 12 12 12 1	Total Workouts*	6	6	6	7	6	6
Personal Vicewing System (PVS)	Electronic Readouts						
Personal Vicewing System (PVS)	Total Readouts*	12	12	12	12	12	12
Personal Viewing System (PVS)							
Entertainment Cap		0	0	0	0	0	0
Language Selection		0	0		0	0	0
Portugese, Italian, Russian	Language Selection						
Portugese, Italian, Russian	English, Dutch, German, Spanish, French,			_	_	_	_
Metric	Portugese, Italian, Russian	•	•	•	•	•	•
Standard Standard							
Product Dimensions	Metric	•	•	•	•	•	•
Inches (LxWxH)	Standard	•	•	•	•	•	•
Centimeters (LxWxH)	Product Dimensions						
Product Height with PVS (in/cm) 84/213 84/213 81.8/208 78/198 72/183 63/160 Product Weight 338 lbs / 153 kg 338 lbs / 153 kg 412 lbs / 187 kg 420 lbs / 190 kg 160 lbs / 73 kg 210 lbs / 95 kg Power Self-Powered • • Powered • • Accessories Accessories ** •	Inches (LxWxH)	80 x 32 x 68	80 x 32 x 68	80 x 35 x 69	83 x 35 x 62	48 x 21 x 57	67 x 23 x 50
Product Weight 338 lbs / 153 kg 338 lbs / 153 kg 412 lbs / 187 kg 420 lbs / 190 kg 160 lbs / 73 kg 210 lbs / 95 kg Power Self-Powered ■ ■ ■ Powered ■ ■ Accessories Boundary ■ ■ ■ ■ ■ Reading Rack ■ <t< td=""><td>Centimeters (LxWxH)</td><td>203 x 81 x 173</td><td>203 x 81 x 173</td><td>203 x 89 x 175</td><td>211 x 89 x 157.5</td><td>122 x 53 x 146</td><td>170 x 58 x 127</td></t<>	Centimeters (LxWxH)	203 x 81 x 173	203 x 81 x 173	203 x 89 x 175	211 x 89 x 157.5	122 x 53 x 146	170 x 58 x 127
Power Self-Powered ■ ■ Powered ■	Product Height with PVS (in/cm)	84 / 213	84 / 213	81.8 / 208	78 / 198	72 / 183	63 / 160
Self-Powered • Powered • • Accessories Accessories Holder • </td <td>Product Weight</td> <td>338 lbs / 153 kg</td> <td>338 lbs / 153 kg</td> <td>412 lbs / 187 kg</td> <td>420 lbs / 190 kg</td> <td>160 lbs / 73 kg</td> <td>210 lbs / 95 kg</td>	Product Weight	338 lbs / 153 kg	338 lbs / 153 kg	412 lbs / 187 kg	420 lbs / 190 kg	160 lbs / 73 kg	210 lbs / 95 kg
Accessories Accessories Holder •	Power						
Accessories Holder •	Self-Powered	•	•	•	Powered	•	•
Reading Rack • <t< td=""><td>Accessories</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	Accessories						
Cable Management O	Accessories Holder	•	•	•	•	•	•
Regulatory Approvals FCC, ETL, CE, EN957 • <t< td=""><td>Reading Rack</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>	Reading Rack	•	•	•	•	•	•
FCC, ETL, CE, EN957 Warranty** Frame 7 years 9 years 2 years 2 years 2 years 2 years 2 years	Cable Management	0	0	0	0	0	0
Warranty**Frame7 years7 years7 years7 years7 years7 years7 years7 years7 years7 yearsParts (Mechanical & Electronic)2 years2 years2 years2 years2 years2 years	Regulatory Approvals						
Frame 7 years 2 years 2 years 2 years 2 years 2 years	FCC, ETL, CE, EN957	•	•	•	•	•	•
Parts (Mechanical & Electronic) 2 years 2 years 2 years 2 years 2 years	Warranty**						
Parts (Mechanical & Electronic) 2 years 2 years 2 years 2 years 2 years 2 years	Frame	7 years	7 years	7 years	7 years	7 years	7 years
	Parts (Mechanical & Electronic)	2 years	2 years	2 years	2 years	2 years	2 years
	Labor					1 year	

KEY: • Standard O Optional - Not available



Precor Incorporated, 20031142nd Avenue NE, P.O. Box 7202, Woodinville, WA 98072-4002, Tel: +1 (0) 425-486-9292, Fax: +1 (0) 425-486-3856, E-Mail: commsls@precor.com, www.precor.com

* Visit www.precor.com for the most recent information on all our products

** Please consult your owners manual for coverage

 Please consult your owners manual for coverage.
 iPod and iPhone are registered trademarks of Apple Inc., registered in the U.S. and other countries.